



READY TO RESPOND:
DISASTER PREPAREDNESS GEAR



DISASTER ESSENTIALS FROM PELI

Get rapid deployment to any emergency. From field hospital med chests, portable field desks to foot lockers, your emergency command center will be up and running in minutes.

SPECIALTY PRODUCT APPLICATIONS:

- Field Desks for emergency centers in field hospitals and check-in points
- Foot Lockers and Trunk Lockers store and transport bedding, blankets, clothes, food, water, first aid supplies, radios
- Medical Chests store various items, from small tools to medical supplies for field hospitals



- Two drawers that are padlockable for extra security
- Two Heavy Duty Wheels
- Chairs can be folded and stored in the lids in seconds (included)
- Two Power Strips - 6 Plugs Per Power Strip (included)

474 FLD DESK DD



- Four large drawers protect all medical gear
- Customisable divider system and wheels

474 MEDCHEST 3 4D



- Lightweight housing protects two "D" 95 GL tanks
- Moulded-in handles and ribs make for easy lifting and secure stacking

474 TANKM-D-2



- Two drawers that are padlockable for extra security
- Two Heavy Duty Wheels
- Chair can be folded and stored in lid in seconds (included)

474 FLD DESK TA



- 8 multi-sized drawers protect all medical gear
- Customisable divider system and wheels
- One Lockable Drawer
- Chemical Agent Decontaminatable

474 MEDCHEST 3 8D



- 0.39m³ (13.6ft³) of space
- Four comfort grip handles
- Case is stackable
- Optional 5.08cm (2 inch) foam lining

474 463L MM



- Two heavy-duty wheels make big loads more manageable
- Soft-Grip handles for easy and comfortable lifting
- Dual removable trays to separate your smaller supplies
- Lock-ready hasps for security anywhere

474 FTLK 1



- Two heavy-duty wheels make big loads more manageable
- Soft-Grip handles for easy and comfortable lifting
- Dual removable trays to separate your smaller supplies
- Lock-ready hasps for security anywhere

474 FTLK LG



- Carrying/lifting ledges for easy and comfortable lifting
- Dual removable trays to separate your smaller supplies
- Lock-ready hasps for security anywhere

iMTRLK TRUNK LOCKER

SAFE AND SILENT EMERGENCY LIGHTING

Remote Area Lighting Systems (RALS) provide battery powered lighting that are portable and lightweight, providing increased performance and safer working conditions. RALS are extremely easy to set up and can be charged for your entire work shift.

Get more than a flashlight. Safety certified lights will keep you safe and moving through hazardous areas. Also, smart features like articulating light heads, battery indicators and Downcast LED Technology, keep you ready for any emergency.

RALS


APPLICATIONS:

- Field hospitals
- Command centers
- Clean-up operations
- Walkways and perimeter lighting
- Security checkpoints

FLASHLIGHT

APPLICATIONS:

- Distress signal
- Search and rescue operations
- Access disoriented victims
- Emergency preparedness kit



- ROHS AND CE COMPLIANT
- BATTERIES: SEALED LEAD ACID

LUMENS
3000
RUN TIME
15h
UP TO



9430 RALS

- BATTERIES: LITHIUM-ION

LUMENS
5300
RUN TIME
8h
UP TO



9440 RALS

- BATTERIES: SEALED LEAD ACID

LUMENS
12000
RUN TIME
24h
UP TO



9460 RALS

- BATTERIES: SEALED LEAD ACID

LUMENS
24000
RUN TIME
24h
UP TO



9470 RALS

- BATTERIES: SEALED LEAD ACID


LUMENS
4000
RUN TIME
28h
UP TO



9480 RALS

- LARGE AREA LIGHTING, I.E. FIELD HOSPITALS
- CONNECT MULTIPLE LIGHT HEADS FROM ONE POWER SOURCE
- INPUT VOLTAGE: 110-240V

LUMENS
3000
UP TO



9600 LINEAR LIGHT

- NIGHT VISION FRIENDLY
- BATTERIES: 3 AAA Alkaline (Included)

SAFETY CERTIFIED
LUMENS
259
RUN TIME
11h
UP TO



2750 HEADLAMP

- "GLOW IN THE DARK"
- ARTICULATING LIGHT HEAD
- HANDS-FREE OPERATION
- BODY BATTERIES: 3 AA ALKALINE (NOT Included)

LUMENS
653
RUN TIME
61h
UP TO



3410M RIGHT ANGLE LIGHT

- LIGHTWEIGHT/ HIGH PERFORMANCE
- BATTERIES: NIMH (INCLUDED)

SAFETY CERTIFIED
LUMENS
588
RUN TIME
11h 30min
UP TO



9415Z0 LIGHT

SECURE TRANSPORT AND STORAGE
OF PERSONAL PROTECTIVE
EQUIPMENT AND DISASTER SUPPLIES

Watertight, crush proof and trusted by the military, fire and law enforcement industries for over 40 years, our cases are proven to stand up to any test our customers endure. From micro to x-large protector size options, you'll always find the right fit.

CASE APPLICATIONS:

- Protection for Ventilators
- Portable Medical equipment
- Medical Testing Kits
- Personal protective equipment
- Transport communication equipment
- Clothing

- Automated external defibrillator
- First aid kits
- First aid supplies
- Search & Rescue operations
- Oxygen tanks
- Regulators



PELI™ PROTECTOR CASE™		
CASE CAT. NO	INTERIOR DIMENSIONS CM (INCHES)	EXTERIOR DIMENSIONS CM (INCHES)
1150	21.1 x 14.7 x 9.5 cm (8.29" x 5.79" x 3.75")	24 x 19.8 x 10.9 cm (9.44" x 7.80" x 4.29")
1170	26.8 x 15.3 x 8 cm (10.54" x 6.04" x 3.16")	29.6 x 21.2 x 9.6 cm (11.64" x 8.34" x 3.78")
1200	23.5 x 18.1 x 10.5 cm (9.25" x 7.12" x 4.12")	27 x 24.6 x 12.4 cm (10.62" x 9.68" x 4.87")
1450	37.2 x 26 x 15.5 cm (14.66" x 10.24" x 6.12")	41.8 x 33 x 17.3 cm (16.44" x 13.00" x 6.82")
1460	47.1 x 25.2 x 27.7 cm (18.54" x 9.92" x 10.92")	53 x 32.3 x 32.4 cm (20.85" x 12.73" x 12.75")
1500 / 1500EMS	42.5 x 28.4 x 15.5 cm (16.75" x 11.18" x 6.12")	47 x 35.7 x 17.6 cm (18.50" x 14.06" x 6.93")
1510	50.2 x 27.9 x 19.3 cm (19.75" x 11.00" x 7.60")	55.9 x 35.1 x 22.9 cm (22.00" x 13.81" x 9.00")
1520	45.9 x 32.7 x 17.1 cm (18.06" x 12.89" x 6.72")	50.2 x 40.1 x 18.8 cm (19.78" x 15.77" x 7.41")
1550 / 1550EMS	47.3 x 36 x 19.6 cm (18.63" x 14.18" x 7.72")	52.5 x 43.7 x 21.3 cm (20.66" x 17.20" x 8.40")
1560	50.6 x 38 x 22.9 cm (19.92" x 14.98" x 9.00")	56.1 x 45.5 x 26.5 cm (22.07" x 17.92" x 10.42")
1600	54.6 x 42 x 20.3 cm (21.51" x 16.54" x 7.99")	62 x 49.2 x 22.3 cm (24.39" x 19.36" x 8.79")
1610	55.3 x 42.4 x 27 cm (21.78" x 16.69" x 10.62")	63.1 x 50 x 30.2 cm (24.83" x 19.69" x 11.88")
1630	70.4 x 53.3 x 39.4 cm (27.70" x 20.98" x 15.50")	79.5 x 61.5 x 44.4 cm (31.28" x 24.21" x 17.48")
1640	60.2 x 61 x 35.3 cm (23.70" x 24.00" x 13.90")	69.1 x 69.9 x 41.4 cm (27.20" x 27.50" x 16.30")
1660	71.6 x 49.9 x 44.8 cm (28.20" x 19.66" x 17.63")	80.2 x 58.4 x 49.5 cm (31.59" x 22.99" x 19.48")
1465EMS	47.3 x 25.4 x 27.8 cm (18.62" x 9.99" x 10.93")	52.9 x 32.1 x 32.4 cm (20.83" x 12.62" x 12.75")

PELI™ MICRO CASES		
CASE CAT. NO	INTERIOR DIMENSIONS CM (INCHES)	EXTERIOR DIMENSIONS CM (INCHES)
1010	11.1 x 7.3 x 4.3 cm (4.37" x 2.87" x 1.68")	14.9 x 10.3 x 5.4 cm (5.88" x 4.06" x 2.12")
1015	13.1 x 6.7 x 3.5 cm (5.14" x 2.64" x 1.37")	17 x 9.9 x 4.7 cm (6.68" x 3.88" x 1.86")
1020	13.5 x 9 x 4.3 cm (5.31" x 3.56" x 1.68")	17.3 x 12.1 x 5.4 cm (6.82" x 4.75" x 2.12")
1030	16.2 x 6.7 x 5.2 cm (6.37" x 2.62" x 2.06")	19.1 x 9.8 x 6.2 cm (7.50" x 3.87" x 2.43")
1040	16.5 x 9.8 x 4.4 cm (6.50" x 3.87" x 1.75")	19.1 x 12.9 x 5.4 cm (7.50" x 5.06" x 2.12")
1050	16 x 9.3 x 7 cm (6.31" x 3.68" x 2.75")	20.3 x 12.9 x 7.9 cm (7.99" x 5.06" x 3.12")
1060	21 x 10.8 x 5.7 cm (8.25" x 4.25" x 2.25")	25.1 x 14.2 x 6.7 cm (9.88" x 5.59" x 2.63")

EMS CASES



*1500EMS



*1550EMS

- Multi layer lid organiser with numerous clean pockets - find everything right away
- Lid organiser clear cover with VELCRO® brand fasteners - keeps supplies in place during transport

- Padded dividers with adjustable walls for customising compartments to any size

* EMS accessory kit



- Removable trays are easy to wipe down to keep sanitized
- Three tier customisable pullout trays give you the flexibility to organise



1465EMS AIR

- Storage bracket keeps used and sharp objects contained. (*Sharps container not included).

EFFICIENT PRECONFIGURED SHIPPING CONTAINERS.

ISP2 PRECONFIGURED CASES

Designed for Euro Pallet standard 1200mm x 800mm, the ISP2 Case system can be cross-stacked to form a solid load and was designed to guarantee a 100% surface usage. Thanks to maximising the use of space, shipping costs will dramatically be reduced. The use of columnar ribs in the case walls can support a much taller pallet stack than corrugated boxes. This takes advantage of overhead cargo space that would otherwise be wasted. Handles on all ISP2 Cases will enhance the speed of deployment over conventional containers.



PART NUMBER	LENGTH O.D.* mm	WIDTH O.D.* mm	HEIGHT O.D.* mm	BASE O.D.* mm	LID O.D.* mm	LENGTH I.D.* mm	WIDTH I.D.* mm	HEIGHT I.D.* mm	WEIGHT kg	NSN NUMBERS
EU030030-3010-RP-032	300	300	400	300	100	215	215	370	3.9	8145-99-700-7504
EU040040-2010-RP-032	400	400	300	200	100	315	315	270	5.1	8145-99-149-8859
EU060040-4010-RP-032	600	400	500	400	100	515	315	470	8.9	8145-99-290-6213
EU080040-3010-RP-032	800	400	400	300	100	715	315	370	10.6	8145-99-163-5835
EU080060-4010-RP-032	800	600	500	400	100	715	515	470	14.7	8145-99-743-1306

NOTE: ISP² Preconf is part of the PELI Rotopack set. Check our full Rotopack offering: www.peli.com/rotopack



PRECONFIGURED ASSETS:


- Hinged lid
- Plastic handles*
- TA238 pressure relief valve
- HCB hardware
- Available in black only

* Model EU030030-3010-RP-032 comes with metal handles

EXAMPLES EUROPALLET BUNDLES (120x80x210 cm)

SAME CASES BUNDLE				
ISP² MODEL	TOTAL N° OF CASES/PALLET	CASES BY LAYER	N° OF LAYERS	ACHIEVED PALLET HEIGHT
EU030030-3010-RP-032	40	8	5	200 cm
EU040040-2010-RP-032	42	6	7	210 cm
EU060040-4010-RP-032	16	4	4	200 cm
EU080040-3010-RP-032	15	3	5	200 cm
EU080060-4010-RP-032	8	2	4	200 cm


42 cases on 1 pallet
(7 layers)



Example bundle
of EU040040-2010

MIXED CASES BUNDLE / 1 LAYER OF EACH ISP2 MODEL				
ISP² MODEL	TOTAL N° OF CASES/PALLET	CASES BY LAYER	N° OF LAYERS	ACHIEVED PALLET HEIGHT
EU030030-3010-RP-032	8	8	1	210 cm
EU040040-2010-RP-032	6	6	1	
EU060040-4010-RP-032	4	4	1	
EU080040-3010-RP-032	3	3	1	
EU080060-4010-RP-032	2	2	1	

Mixed cases on
1 pallet (5 layers)



Example
mixed bundle

LEARN MORE ABOUT + OUR PRODUCTS



www.peli.com



AVAILABLE IN 18 LANGUAGES!

www.pelicalogue.com



www.peli.com/webinars



EMEA

EUROPE, MIDDLE EAST & AFRICA HEADQUARTERS

PELI PRODUCTS, S.L.U.
C/ Provença, 388 Planta 7
08025 • Barcelona, Spain
Tel +34 934 674 999
Fax +34 934 877 393
www.peli.com

FRANCE

PELI PRODUCTS FRANCE
S.A.S.
20/22 Rue des Petits Hôtels
75010 Paris, France
Tel +33 (0)1 44 83 95 63
Fax +33 (0)1 44 83 95 68
www.peli.com

UK

PELI HARDIGG UK
Unit 4, Brookfield Industrial Estate
Leacon Road
Ashford Kent TN23 4TU
Tel + 44 (0) 1233 895 895
Fax +44 (0) 1233 895 899
www.peli.com

U.S.A.

U.S.A. & GLOBAL HEADQUARTERS

23215 Early Avenue
Torrance, CA 90505 USA
Tel 310.326.4700
800.473.5422 (Outside CA)
Fax 310.326.3311
www.pelican.com

GERMANY

PELI PRODUCTS GERMANY GmbH
Düsseldorf Kö-Bogen
Business Center
Königsallee 2b, 5th Floor
40212 Düsseldorf, Germany
Tel +49 (0) 211 882 42 401
Fax +49 (0) 211 882 42 200
www.peli.com

UAE

PELICAN PRODUCTS FZE
JAFZA One Building A office 1511/1512
Jebel Ali Free Zone gate 5
P.O.Box 261008
Dubai – United Arab Emirates
Tel +971 4 8876550
Fax +971 4 8876549
www.pelican.com
www.peli.com

TURKEY

PELI PRODUCTS ANKARA
BRANCH OFFICE
Beştepe Mahallesi,
Nergis Sokak No:7/2
Via Flat İş Merkezi,
Plaza Cubes No:87
Tel +90 312 248 13 86
www.peli.com

PELICAN HARDIGG

147 North Main Street
South Deerfield, MA 01373
Tel (800) 542 73 44
Fax (413) 665 8330
www.pelican.com

* We also have offices in Canada, Japan, China, Australia, South Korea and India



Follow us on:



FOR WARRANTY INFORMATION, PLEASE VISIT PELI.COM/WARRANTY

©2020 Peli Products, S.L.U. All trademarks are registered and/or unregistered trademarks of Pelican Products, Inc., its subsidiaries and/or affiliates. All details included in this catalogue are correct when printed but for most updated information please visit www.peli.com and www.pelicalogue.com.